


BELTS O RINGS TIRES CATALOG 2026



A & V COMPONENTS
(TEL) 516-791-1121
(EMAIL) sales@avcomponents.net
(WEB SITE) www.avcomponents.net

TABLE OF CONTENTS

SQUARE CUT BLETS	PAGE 03
SQUARE CUT BELTS	PAGE 04
SQUARE CUT BELTS	PAGE 05
FLAT BELTS	PAGE 06
FLAT BELTS	PAGE 07
FLAT BELTS	PAGE 08
FLAT BELTS	PAGE 09
FLAT BELTS	PAGE 10
FLAT FABRIC RUBBER MIX	PAGE 10
O RINGS RBA SERIES 0.070 C/S	PAGE 11
O RINGS RBB SERIES 0.103 C/S	PAGE 11
O RINGS RBC SERIES 0.139 C/S	PAGE 12
O RINGS RBD SERIES 0.210 C/S	PAGE 13
O RINGS RBE SERIES 0.275 C/S	PAGE 13
TIRES OFR PINCH ROLLERS AND IDLER WHEELS	PAGE 14
TIRES OFR PINCH ROLLERS AND IDLER WHEELS	PAGE 15
TIRES OFR PINCH ROLLERS AND IDLER WHEELS	PAGE 16

SQUARE CUT BELTS

PART#	I.C. IN	C/S IN.	WALL	PART#	I.C.IN.	C/S IN.	WALL
SBY1.0	1.000	0.030	0.030	SBT3.8	3.800	0.060	0.060
SBY1.2	1.200	0.030	0.030	SBB3.8	3.800	0.081	0.081
SBT1.38	1.380	0.059	0.059	SBS3.9	3.875	0.046	0.046
SBY1.5	1.500	0.030	0.025	SBY4.0	4.000	0.040	0.040
SBS1.5	1.500	0.046	0.046	SBS4.0	4.000	0.047	0.047
SBS1.7	1.700	0.046	0.046	SBT4.0	4.000	0.057	0.057
SBS1.9	1.900	0.040	0.040	SBM4.0	4.000	0.068	0.068
SBM2.0	2.000	0.063	0.063	SBT4.1	4.100	0.051	0.051
SBS2.1	2.100	0.046	0.046	SBY4.2	4.200	0.034	0.035
SBM2.18	2.188	0.067	0.067	SBO4.2	4.200	0.039	0.039
SBY2.2	2.200	0.032	0.032	SBM4.2	4.200	0.072	0.072
SBT2.2	2.200	0.055	0.055	SBC4.2	4.200	0.097	0.097
SBM2.3	2.300	0.065	0.065	SBS4.3	4.300	0.045	0.045
SBC2.3	2.300	0.091	0.108	SBM4.3	4.300	0.065	0.065
SBS2.4	2.400	0.044	0.044	SBC4.3	4.300	0.096	0.096
SBY2.5	2.499	0.037	0.037	SBY4.4	4.400	0.034	0.034
SBT2.5	2.500	0.060	0.060	SBO4.4	4.400	0.039	0.039
SBB2.5	2.500	0.085	0.085	SBM4.5	4.500	0.070	0.070
SBO2.6	2.600	0.041	0.039	SBY4.6	4.600	0.033	0.033
SBS2.6	2.600	0.046	0.046	SBS4.6	4.600	0.046	0.046
SBB2.6	2.600	0.089	0.091	SBT4.6	4.600	0.057	0.057
SBT2.75	2.750	0.056	0.056	SBC4.6	4.600	0.112	0.104
SBL2.78	2.788	0.075	0.075	SBY4.8	4.800	0.035	0.036
SBM2.8	2.800	0.062	0.062	SBM4.8	4.800	0.062	0.063
SBL2.8	2.800	0.079	0.079	SBT4.8	4.800	0.051	0.051
SBY2.9	2.900	0.032	0.032	SBL4.8	4.800	0.075	0.075
SBS2.9	2.900	0.046	0.046	SBS4.9	4.900	0.045	0.045
SBS3.0	3.000	0.046	0.046	SBY5.0	5.000	0.040	0.040
SBT3.0	3.000	0.056	0.056	SBL5.0	5.000	0.075	0.075
SBL3.0	3.000	0.074	0.074	SBS5.1	5.100	0.048	0.048
SBC3.0	3.000	0.100	0.100	SBM5.1	5.100	0.062	0.062
SBS3.1	3.100	0.046	0.046	SBL5.1	5.100	0.078	0.078
SBT3.1	3.100	0.051	0.051	SBY5.2	5.200	0.035	0.035
SBY3.2	3.200	0.039	0.039	SBT5.3	5.300	0.059	0.059
SBS3.2	3.200	0.046	0.046	SBS5.4	5.400	0.048	0.048
SBM3.2	3.200	0.068	0.068	SBM5.4	5.400	0.070	0.070
SBL3.2	3.200	0.075	0.075	SBY5.5	5.500	0.036	0.036
SBB3.2	3.200	0.083	0.100	SBS5.5	5.500	0.043	0.043
SBT3.2	3.200	0.051	0.051	SBM5.5	5.500	0.061	0.061
SBM3.4	3.400	0.062	0.062	SBT5.6	5.600	0.051	0.051
SBL3.4	3.400	0.074	0.074	SBL5.6	5.600	0.078	0.078
SBY3.5	3.500	0.036	0.036	SBY5.6	5.620	0.031	0.031
SBS3.5	3.500	0.042	0.042	SBO5.7	5.700	0.039	0.039
SBT3.6	3.600	0.059	0.059	SBM5.7	5.700	0.061	0.061
SBB3.6	3.600	0.090	0.090	SBL.57	5.700	0.078	0.078
SBO3.7	3.700	0.039	0.039	SBC5.765	5.765	0.150	0.150
SBS3.7	3.700	0.046	0.046	SBS5.8	5.800	0.047	0.047

SQUARE CUT BELTS

PART#	I.C. IN	C/S IN.	WALL	PART#	I.C.IN.	C/S IN.	WALL
SBO5.9	5.900	0.039	0.039	SBY8.0	8.000	0.031	0.031
SBY6.0	6.000	0.035	0.035	SBO8.0	8.000	0.039	0.039
SBO6.0	6.000	0.039	0.039	SBS8.0	8.000	0.046	0.046
SBS6.0	6.000	0.046	0.046	SBT8.0	8.000	0.058	0.058
SBT6.0	6.000	0.050	0.050	SBM8.0	8.000	0.062	0.062
SBC6.0	6.000	0.100	0.100	SBM8.1	8.100	0.070	0.070
SBL6.0	6.000	0.075	0.075	SBC8.1	8.100	0.100	0.100
SBL6.1	6.100	0.079	0.079	SBY8.2	8.200	0.038	0.038
SBC6.1	6.100	0.100	0.110	SBS8.2	8.200	0.046	0.046
SBO6.2	6.200	0.039	0.039	SBM8.2	8.200	0.062	0.062
SBS6.2	6.200	0.050	0.050	SBB8.2	8.200	0.087	0.087
SBT6.2	6.245	0.058	0.058	SBC8.2	8.200	0.163	0.120
SBY6.3	6.300	0.035	0.035	SBT8.2	8.200	0.051	0.051
SBC6.3	6.300	0.110	0.110	SBO8.3	8.300	0.039	0.039
SBS6.4	6.400	0.047	0.047	SBS8.4	8.400	0.050	0.048
SBY6.5	6.500	0.036	0.036	SBB8.5	8.500	0.080	0.080
SBM6.5	6.500	0.063	0.063	SBO8.6	8.600	0.039	0.039
SBS6.6	6.619	0.047	0.047	SBS8.6	8.600	0.044	0.048
SBB6.6	6.600	0.083	0.083	SBL8.6	8.600	0.070	0.070
SBC6.6	6.600	0.130	0.140	SBC8.6	8.600	0.100	0.100
SBE6.7	6.700	0.019	0.019	SBM8.6	8.625	0.062	0.062
SBY6.7	6.700	0.035	0.035	SBC8.7	8.700	0.125	0.125
SBT6.5	6.700	0.055	0.055	SBT8.7	8.745	0.060	0.060
SBL6.7	6.700	0.075	0.074	SBT8.8	8.800	0.051	0.051
SBB6.7	6.700	0.090	0.090	SBY8.8	8.836	0.031	0.031
SBE6.75	6.750	0.019	0.019	SBS8.9	8.900	0.050	0.046
SBL6.9	6.900	0.074	0.074	SBL8.9	8.900	0.075	0.075
SBB6.9	6.900	0.085	0.085	SBO9.0	9.000	0.040	0.040
SBY7.0	7.000	0.031	0.034	SBT9.1	9.090	0.055	0.055
SBO7.0	7.000	0.039	0.039	SBY9.2	9.200	0.035	0.035
SBS7.0	7.000	0.046	0.046	SBS9.2	9.200	0.048	0.048
SBC7.0	7.000	0.100	0.100	SBL9.2	9.200	0.075	0.075
SBL7.1	7.100	0.075	0.075	SBB9.2	9.200	0.086	0.086
SBB7.1	7.100	0.085	0.085	SBC9.4	9.360	0.141	0.141
SBT7.2	7.200	0.063	0.063	SBS9.5	9.500	0.048	0.048
SBY7.3	7.300	0.035	0.035	SBB9.5	9.500	0.084	0.084
SBS7.4	7.400	0.048	0.048	SBM9.6	9.600	0.065	0.065
SBT7.4	7.406	0.056	0.056	SBC9.6	9.600	0.145	0.145
SBO7.4	7.500	0.038	0.038	SBS9.8	9.800	0.046	0.046
SBL7.5	7.500	0.080	0.080	SBM9.8	9.800	0.064	0.064
SBC7.5	7.500	0.125	0.103	SBC9.8	9.800	0.098	0.099
SBT7.56	7.563	0.054	0.054	SBS10.0	10.000	0.052	0.053
SBS7.75	7.750	0.046	0.046	SBT10.0	10.000	0.053	0.052
SBL7.8	7.793	0.072	0.072	SBM10.0	10.000	0.069	0.069
SBY7.8	7.800	0.031	0.040	SBL10.0	10.000	0.078	0.078
SBM7.8	7.800	0.065	0.065	SBC10.0	10.000	0.141	0.125
SBS7.86	7.860	0.047	0.047	SBO10.2	10.200	0.035	0.031
				SBM10.2	10.200	0.062	0.062

SQUARE CUT BELTS

PART#	I.C. IN	C/S IN.	WALL	PART#	I.C.IN.	C/S IN.	WALL
SBS10.3	10.300	0.046	0.046	SBC13.6	13.600	0.125	0.125
SBO10.5	10.500	0.031	0.031	SBS14.0	14.000	0.047	0.047
SBS10.5	10.500	0.048	0.048	SBC14.0	14.000	0.099	0.099
SBT10.5	10.500	0.051	0.051	SBM14.1	14.100	0.065	0.065
SBL10.5	10.500	0.075	0.075	SBL14.1	14.100	0.079	0.079
SBC10.5	10.500	0.093	0.093	SBC14.1	14.100	0.137	0.137
SBS10.7	10.700	0.046	0.048	SBS14.5	14.500	0.043	0.043
SBE11.0	11.000	0.019	0.019	SBM14.5	14.500	0.062	0.062
SBT11.1	11.100	0.059	0.057	SBB14.6	14.600	0.086	0.085
SBM11.1	11.100	0.064	0.063	SBO14.7	14.700	0.040	0.040
SBC11.17	11.178	0.125	0.125	SBS14.7	14.700	0.048	0.048
SBC11.3	11.300	0.100	0.100	SBM15.0	14.987	0.063	0.063
SBM11.5	11.500	0.065	0.065	SB015.0	15.000	0.039	0.039
SBB11.6	11.600	0.087	0.087	SBS15.0	15.000	0.048	0.048
SBO11.7	11.700	0.039	0.038	SBO15.2	15.200	0.035	0.033
SBS11.7	11.700	0.046	0.046	SBS15.2	15.200	0.045	0.045
SBS11.8	11.800	0.048	0.048	SBS15.5	15.500	0.047	0.047
SBM11.8	11.800	0.063	0.063	SBC15.7	15.700	0.095	0.095
SBM12.0	12.000	0.066	0.066	SBC15.8	15.813	0.097	0.097
SBL12.1	12.100	0.078	0.083	SBT15.9	15.900	0.060	0.058
SBC12.1	12.100	0.108	0.101	SBS16.0	16.000	0.048	0.048
SBS12.2	12.200	0.046	0.046	SBO16.3	16.300	0.040	0.040
SBT12.4	12.400	0.051	0.051	SBL16.6	16.600	0.075	0.075
SBS12.5	12.500	0.045	0.045	SBO16.8	16.800	0.040	0.040
SBM12.5	12.500	0.064	0.064	SBS17.0	17.000	0.046	0.046
SBL12.5	12.500	0.078	0.078	SBB17.0	17.000	0.085	0.085
SBB12.6	12.600	0.090	0.090	SBS17.7	17.700	0.045	0.045
SBO12.7	12.700	0.040	0.031	SBC17.8	17.800	0.120	0.120
SBL12.8	12.796	0.078	0.078	SBC18.1	18.100	0.093	0.093
SBS12.9	12.875	0.046	0.046	SBS18.5	18.500	0.049	0.049
SBS13.0	13.000	0.046	0.046	SBS20.7	20.700	0.046	0.046
SBL13.0	13.000	0.078	0.078	SBC21.2	21.200	0.093	0.093
SBL13.2	13.200	0.075	0.075	SBC24.2	24.200	0.113	0.109
SBC13.2	13.238	0.125	0.125	SBC24.3	24.300	0.125	0.125
SBO13.3	13.300	0.031	0.031	SBC28.2	28.200	0.109	0.109
SBS13.5	13.500	0.048	0.048	SBC28.7	28.700	0.130	0.130
SBS13.6	13.600	0.050	0.045	SBC30.3	30.000	0.187	0.187
SBM13.6	13.600	0.063	0.063	SBC31.2	31.000	0.125	0.128
SBL13.6	13.600	0.070	0.070	SBC37.0	37.000	0.098	0.098

PART#	I.C. IN	C/S IN.	WALL	PART#	I.C.IN.	C/S IN.	WALL
FBR1.7	1.790	0.061	0.036	FBX5.7	5.700	0.150	0.031
FBM1.9	1.870	0.188	0.027	FBM5.7	5.700	0.150	0.070
FBX2.0	2.000	0.190	0.032	FBS5.8	5.800	0.120	0.031
FBZ2.0	2.000	0.250	0.032	FBM5.9	5.890	0.200	0.036
FBR2.16	2.160	0.196	0.070	FBZ6.0	6.000	0.123	0.046
FBM2.2	2.200	0.187	0.025	FBW6.1	6.100	0.100	0.023
FBX2.2	2.200	0.250	0.062	FBM6.1	6.100	0.165	0.035
FBX2.47	2.470	0.171	0.054	FBM6.2	6.245	0.188	0.031
FBM2.5	2.473	0.200	0.025	FBW6.4	6.400	0.105	0.021
FBM2.7	2.700	0.187	0.040	FBS6.5	6.500	0.125	0.027
FBY2.9	2.900	0.100	0.030	FBW6.5	6.500	0.150	0.020
FBX2.9	2.900	0.140	0.031	FBM6.5	6.500	0.197	0.018
FBZ2.9	2.900	0.250	0.031	FBT6.5	6.500	0.281	0.031
FBM3.2	3.210	0.196	0.023	FBR6.7	6.700	0.115	0.061
FBM3.3	3.340	0.196	0.023	FBY6.7	6.700	0.140	0.035
FBX3.6	3.560	0.250	0.030	FBM6.7	6.700	0.183	0.025
FBM3.6	3.600	0.195	0.032	FBX6.7	6.700	0.206	0.035
FBR3.7	3.700	0.100	0.034	FBT6.7	6.700	0.206	0.061
FBM3.75	3.750	0.200	0.036	FBZ6.9	6.900	0.315	0.030
FBR3.9	3.900	0.060	0.033	FBW7.0	7.000	0.100	0.020
FBS4.0	4.000	0.125	0.025	FBY7.0	7.000	0.100	0.035
FBS4.2	4.173	0.123	0.026	FBX7.0	7.000	0.119	0.035
FBM4.2	4.180	0.156	0.065	FBM7.0	7.000	0.235	0.035
FBR4.2	4.200	0.060	0.033	FBS7.0	7.000	0.150	0.025
FBX4.2	4.200	0.250	0.046	FBM7.1	7.100	0.160	0.025
FBM4.3	4.300	0.156	0.046	FBW7.3	7.300	0.140	0.020
FBX4.5	4.500	0.210	0.035	FBS7.4	7.375	0.120	0.020
FBX4.7	4.700	0.105	0.035	FBX7.4	7.430	0.250	0.031
FBS4.7	4.700	0.125	0.025	FBZ7.4	7.400	0.355	0.090
FBM4.8	4.800	0.210	0.043	FBM7.5	7.500	0.180	0.025
FBZ4.9	4.900	0.250	0.028	FBS7.5	7.500	0.122	0.025
FBX5.1	5.100	0.090	0.031	FBX7.5	7.500	0.140	0.065
FBS5.1	5.100	0.125	0.025	FBT7.5	7.500	0.170	0.104
FBY5.1	5.100	0.281	0.031	FBZ7.5	7.500	0.200	0.030
FBR5.6	5.600	0.093	0.033	FB7.5	7.500	0.340	0.103
FBT5.7	5.680	0.234	0.031	FBM7.6	7.600	0.150	0.031
FBY5.7	5.700	0.075	0.020	FBW7.7	7.700	0.145	0.023
				FBS7.7	7.700	0.187	0.031
				FBM7.7	7.700	0.210	0.027
				FBY7.7	7.700	0.300	0.040
				FBR7.8	7.800	0.115	0.040
				FBS7.9	7.910	0.125	0.031
				FBS8.0	8.000	0.118	0.023
				FBZ8.0	8.000	0.130	0.035
				FBW8.0	8.000	0.150	0.023
				FBX8.0	8.000	0.160	0.035
				FBM8.0	8.000	0.200	0.031

PART#	I.C.IN.	C/S IN.	WALL	PART#	I.C.IN.	C/S IN.	WALL
FBS8.2	8.200	0.160	0.020	FBY9.6	9.600	0.200	0.018
FBM8.2	8.200	0.187	0.031	FBW9.6	9.600	0.200	0.020
FBR8.3	8.250	0.262	0.065	FB9.6	9.600	0.200	0.030
FBX8.4	8.400	0.135	0.040	FBT9.6	9.625	0.281	0.030
FBM8.4	8.400	0.187	0.040	FBR9.7	9.656	0.281	0.046
FBY8.4	8.400	0.270	0.040	FBX9.7	9.700	0.120	0.031
FBW8.5	8.500	0.150	0.023	FBM9.7	9.700	0.187	0.031
FBM8.5	8.522	0.187	0.062	FBT9.7	9.700	0.195	0.085
FBS8.6	8.600	0.125	0.031	FBZ9.7	9.700	0.200	0.033
FBM8.6	8.600	0.200	0.023	FBW9.7	9.700	0.237	0.023
FBS8.7	8.720	0.125	0.031	FBY9.7	9.700	0.237	0.031
FBM8.7	8.700	0.187	0.060	FBS9.7	9.700	0.250	0.041
FBM8.8	8.800	0.185	0.023	FBS9.8	9.790	0.145	0.034
FBX8.8	8.800	0.187	0.034	FBM9.9	9.900	0.180	0.025
FBZ8.8	8.800	0.340	0.101	FBX10.0	10.000	0.115	0.035
FBT8.9	8.890	0.230	0.040	FBW10.0	10.000	0.120	0.023
FBZ8.9	8.900	0.230	0.041	FBM10.0	10.000	0.200	0.023
FBX8.9	8.900	0.297	0.080	FBY10.0	10.000	0.200	0.033
FBZ9.0	8.970	0.200	0.016	FBR10.0	10.000	0.250	0.046
FBY9.0	9.000	0.075	0.031	FBT10.0	10.000	0.272	0.073
FRW9.0	9.000	0.100	0.025	FBZ10.0	10.000	0.310	0.124
FBX9.0	9.000	0.124	0.031	FBS10.0	10.000	0.187	0.050
FBT9.0	9.000	0.159	0.018	FBX10.1	10.100	0.275	0.028
FBM9.0	9.000	0.210	0.031	FBS10.1	10.120	0.219	0.021
FBX9.1	9.100	0.140	0.033	FBY10.2	10.200	0.065	0.031
FBW9.1	9.100	0.155	0.020	FBX10.2	10.200	0.157	0.031
FBZ9.2	9.200	0.078	0.031	FBZ10.2	10.200	0.180	0.031
FBR9.2	9.200	0.100	0.031	FBM10.2	10.200	0.210	0.031
FBX9.2	9.200	0.140	0.031	FBS10.2	10.200	0.122	0.025
FBW9.2	9.200	0.160	0.020	FBM10.4	10.400	0.200	0.030
FBS9.2	9.200	0.200	0.018	FBX10.4	10.400	0.300	0.046
FBM9.2	9.200	0.210	0.031	FBZ10.4	10.400	0.395	0.046
FBX9.4	9.400	0.140	0.034	FBM10.5	10.500	0.160	0.031
FBZ9.4	9.400	0.235	0.034	FBX10.5	10.500	0.210	0.031
FBX9.5	9.500	0.100	0.034	FBW10.6	10.600	0.250	0.025
FBX9.6	9.600	0.110	0.033	FBT10.6	10.600	0.250	0.125
FBS9.6	9.600	0.139	0.035	FBS10.7	10.700	0.155	0.031

PART#	I.C.IN.	C/S IN.	WALL	PART#	I.C.IN.	C/S IN.	WALL
FBM10.7	10.700	0.170	0.025	FBZ12.0	12.000	0.394	0.039
FBW10.7	10.700	0.210	0.025	FBX12.1	12.100	0.118	0.031
FBT10.7	10.700	0.210	0.031	FBZ12.1	12.100	0.167	0.031
FBS10.8	10.800	0.125	0.025	FBY12.1	12.100	0.180	0.032
FBX10.8	10.800	0.238	0.038	FBM12.1	12.100	0.210	0.031
FBX10.9	10.900	0.312	0.078	FBX12.3	12.290	0.225	0.053
FBT11.0	10.993	0.187	0.036	FBT12.5	12.490	0.210	0.058
FBS11.0	11.000	0.154	0.031	FBM12.5	12.500	0.187	0.025
FBY11.0	11.000	0.172	0.031	FBX12.5	12.500	0.227	0.056
FBR11.0	11.000	0.187	0.031	FBZ12.5	12.500	0.283	0.056
FBM11.0	11.000	0.215	0.028	FBS12.5	12.530	0.150	0.056
FBZ11.0	11.000	0.236	0.025	FBW12.6	12.600	0.300	0.023
FBX11.2	11.200	0.120	0.031	FBX12.6	12.600	0.322	0.032
FBQ11.2	11.200	0.236	0.022	FBZ12.6	12.600	0.342	0.112
FBY11.2	11.200	0.254	0.031	FBT12.7	12.680	0.318	0.022
FBM11.2	11.250	0.187	0.017	FBX12.7	12.700	0.160	0.031
FBM11.3	11.300	0.163	0.031	FBM12.7	12.700	0.210	0.031
FBX11.4	11.400	0.375	0.054	FBZ12.7	12.700	0.235	0.030
FBW11.5	11.480	0.234	0.021	FBY12.7	12.700	0.334	0.032
FBR11.5	11.490	0.187	0.035	FBS13.1	13.100	0.140	0.031
FBS11.5	11.500	0.125	0.025	FBM13.1	13.100	0.190	0.031
FBX11.5	11.500	0.156	0.031	FBZ13.1	13.100	0.380	0.030
FBM11.5	11.500	0.210	0.031	FBX13.2	13.200	0.156	0.033
FBY11.5	11.500	0.235	0.040	FBZ13.2	13.200	0.235	0.031
FBT11.5	11.500	0.310	0.040	FBY13.2	13.200	0.276	0.035
FBZ11.5	11.500	0.395	0.040	FBT13.2	13.240	0.314	0.035
FBM11.6	11.600	0.192	0.024	FBM13.3	13.300	0.205	0.031
FBZ11.6	11.600	0.318	0.024	FBS13.4	13.400	0.125	0.025
FBZ11.7	11.700	0.065	0.031	FBY13.4	13.400	0.125	0.053
FBS11.7	11.700	0.150	0.031	FBT13.4	13.400	0.276	0.053
FBM11.7	11.700	0.210	0.031	FBX13.4	13.400	0.278	0.025
FBS11.8	11.840	0.110	0.035	FBM13.5	13.500	0.196	0.033
FBM12.0	12.000	0.198	0.032	FBM13.6	13.600	0.195	0.022
FBW12.0	12.000	0.245	0.023	FBM13.8	13.790	0.196	0.031
FBX12.0	12.000	0.245	0.031	FBY13.9	13.900	0.278	0.058
FBT12.0	12.000	0.245	0.073	FBY14.0	14.000	0.138	0.031
FBY12.0	12.000	0.250	0.045	FBX14.0	14.000	0.187	0.038

PART#	I.C.IN.	C/S IN.	WALL	PART#	I.C.IN.	C/S IN.	WALL
FBM14.0	14.000	0.200	0.031	FBZ16.8	16.800	0.330	0.030
FBY14.1	14.100	0.259	0.069	FBY17.0	17.000	0.275	0.030
FBM14.2	14.200	0.225	0.031	FBX17.0	17.000	0.315	0.045
FBR14.3	14.290	0.265	0.035	FBT17.0	17.000	0.366	0.085
FBM14.4	14.400	0.197	0.025	FBY17.2	17.200	0.147	0.040
FBQ14.5	14.500	0.270	0.059	FBZ17.2	17.200	0.157	0.023
FBX14.5	14.500	0.310	0.059	FBX17.2	17.200	0.275	0.040
FBZ14.5	14.500	0.390	0.059	FBA17.2	17.200	0.320	0.040
FBY14.5	14.500	0.470	0.059	FBS17.4	17.400	0.126	0.031
FBW14.5	14.500	0.550	0.059	FBZ17.4	17.420	0.313	0.031
FBY14.6	14.600	0.270	0.033	FBY17.6	17.620	0.265	0.031
FBX14.7	14.700	0.150	0.040	FBS17.7	17.700	0.120	0.045
FBM14.7	14.700	0.200	0.040	FBM17.7	17.700	0.196	0.025
FBX11.49	14.850	0.250	0.047	FBQ18.1	18.100	0.312	0.020
FBX15.0	15.000	0.470	0.045	FBZ17.1	18.100	0.312	0.030
FBS15.2	15.200	0.125	0.050	FBZ18.5	18.500	0.315	0.049
FBM15.2	15.200	0.187	0.033	FBT18.5	18.500	0.318	0.019
FBZ15.2	15.200	0.235	0.025	FBX18.7	18.700	0.120	0.032
FBX15.2	15.200	0.235	0.033	FBY18.7	18.700	0.160	0.032
FBY15.2	15.200	0.265	0.050	FBZ18.7	18.700	0.317	0.032
FBW15.2	15.200	0.274	0.050	FBX19.6	19.600	0.125	0.032
FBZ15.3	15.300	0.390	0.040	FBZ19.6	19.600	0.156	0.031
FBM15.4	15.430	0.191	0.041	FBA19.6	19.600	0.200	0.027
FBM15.7	15.700	0.187	0.025	FBY19.6	19.600	0.310	0.027
FBR15.8	15.830	0.237	0.057	FBW19.6	19.600	0.350	0.031
FBM15.9	15.900	0.190	0.025	FBX20.0	20.000	0.125	0.035
FBY15.9	15.900	0.260	0.055	FBM20.0	20.000	0.185	0.035
FBX15.9	15.900	0.330	0.058	FBM20.3	20.300	0.187	0.0275
FBZ15.9	15.900	0.478	0.058	FBZ20.4	20.370	0.312	0.035
FBXZ16.0	16.000	0.320	0.058	FBY20.5	20.500	0.200	0.046
FBY16.0	16.000	0.400	0.058	FBZ20.5	20.500	0.400	0.046
FBY16.1	16.100	0.281	0.058	FBS20.7	20.700	0.156	0.031
FBX16.3	16.300	0.158	0.040	FBX20.7	20.700	0.210	0.030
FBM16.3	16.300	0.237	0.040	FBM20.88	20.880	0.177	0.020
FBX16.8	16.800	0.188	0.040	FBM21.0	21.000	0.187	0.022
FBY16.8	16.800	0.200	0.030	FBZ21.2	21.180	0.313	0.031
FBM16.8	16.800	0.266	0.040	FBM21.3	21.250	0.205	0.050

PART#	I.C.IN.	C/S IN.	WALL	PART#	I.C.IN.	C/S IN.	WALL
FBM21.4	21.400	0.180	0.025	FBM27.3	27.300	0.200	0.024
FBX21.5	21.500	0.185	0.033	FBM29.5	29.500	0.196	0.023
FBM21.5	21.500	0.187	0.0275	FBM30.0	30.000	0.187	0.030
FBS21.6	21.600	0.156	0.031	FBM30.5	30.500	0.158	0.023
FBX21.6	21.600	0.205	0.050	FBM31.5	31.500	0.158	0.023
FBZ21.6	21.600	0.450	0.050	FBM32.5	32.500	0.240	0.025
FBM21.8	21.800	0.170	0.023	FBM33.0	33.000	0.187	0.030
FBW22.3	22.250	0.313	0.031	FBM34.0	34.000	0.196	0.031
FBX22.3	22.300	0.155	0.030	FBS34.75	34.750	0.156	0.020
FBY22.3	22.300	0.200	0.030	FBL35.1	35.100	0.240	0.023
FBM22.5	22.500	0.205	0.050	FBX35.1	35.100	0.184	0.035
FBY23.3	23.300	0.135	0.030	FBM35.88	35.880	0.177	0.020
FBX23.3	23.300	0.185	0.030	FBS37.5	37.500	0.157	0.031
FBZ23.3	23.300	0.210	0.030	FBM37.5	37.500	0.187	0.020
FBS23.6	23.600	0.125	0.025	FBX37.5	37.500	0.230	0.031
FBL23.6	23.600	0.250	0.020	FBZ37.5	37.500	0.314	0.036
FBS24.5	24.500	0.150	.022"	FBX38.1	38.100	0.230	0.031
FBM24.5	24.500	0.200	0.023	FBX38.8	38.800	0.196	0.023
FBY25.0	25.000	0.144	0.033	FBM38.8	38.800	0.250	0.020
FBS25.0	25.000	0.156	0.025	FBF7.8	7.800	0.250	0.032
FBM25.0	25.000	0.187	0.025	FBF10.5	10.500	0.187	0.022
FBX25.0	25.000	0.210	0.030	FBF12.5	12.500	0.127	0.022
FBA25.0	25.000	0.250	0.033	FBF14.0	14.000	0.218	0.028
FBZ25.0	25.000	0.397	0.033	FBF14.875	14.875	0.196	0.022
FBM25.7	25.700	0.196	0.027	FBF22.0	22.000	0.275	0.022
FBS25.75	25.750	0.118	0.023	FBF22.8	22.800	0.193	0.034

****note FBF series of Flat Belts are Flat Fabric Rubber Mix****

PART#	I.C. IN.	PART#	I.C. IN.	PART#	I.C. IN.	PART#	I.C. IN.
RBA0.09	0.09 IN.	RBA1.5	1.5 IN.	RBA4.1	4.1 IN.	RBA8.6	8.6 IN.
RBA0.2	0.2 IN.	RBA1.8	1.8 IN.	RBA4.3	4.3 IN.	RBA9.0	9.0 IN.
RBA0.25	0.25 IN.	RBA2.1	2.1 IN.	RBA4.7	4.7 IN.	RBA9.4	9.4 IN.
RBA0.29	0.29 IN.	RBA2.3	2.3 IN.	RBA5.1	5.1 IN.	RBA10.1	10.1IN.
RBA0.39	0.39 IN.	RBA2.5	2.5 IN.	RBA5.5	5.5 IN.	RBA10.9	10.9 IN.
RBA0.49	0.49 IN.	RBA2.7	2.7 IN.	RBA5.9	5.9 IN.	RBA11.7	11.7 IN.
RBA0.59	0.59 IN.	RBA2.9	2.9 IN.	RBA6.2	6.2 IN.	RBA12.4	12.4 IN.
RBA0.69	0.69 IN.	RBA3.1	3.1 IN.	RBA6.6	6.6 IN.	RBA13.3	13.3 IN.
RBA0.79	0.79 IN.	RBA3.3	3.3 IN.	RBA7.0	7.0 IN.	RBA14.0	14.0 IN.
RBA0.98	0.98 IN.	RBA3.5	3.5 IN.	RBA7.4	7.4 IN.	RBA14.8	14.8 IN.
RBA1.17	1.17 IN.	RBA3.7	3.70 IN.	RBA7.8	7.8 IN.	RBA15.7	15.7 IN.
RBA1.37	1.37 IN.	RBA3.9	3.9 IN.	RBA8.2	8.2 IN.	RBA16.5	16.5 IN.

O RINGS RBB SERIES C/S 0.103

PART#	I.C. IN.	PART#	I.C. IN.	PART#	I.C. IN.	PART#	I.C. IN.
RBB0.2	0.2 IN.	RBB3.5	3.5 IN.	RBB7.2	7.2 IN.	RBB16.4	16.4 IN.
RBB0.29	0.29 IN.	RBB3.7	3.70 IN.	RBB7.4	7.4 IN.	RBB17.2	17.2 IN.
RBB0.39	0.39 IN.	RBB3.9	3.9 IN.	RBB7.6	7.6 IN.	RBB18.0	18.0 IN.
RBB0.49	0.49 IN.	RBB4.1	4.1 IN.	RBB7.8	7.8 IN.	RBB18.9	18.9 IN.
RBB0.59	0.59 IN.	RBB4.3	4.3 IN.	RBB8.0	8.0 IN.	RBB19.6	19.6 IN.
RBB0.69	0.69 IN.	RBB4.5	4.5 IN.	RBB8.2	8.2 IN.	RBB20.3	20.3 IN.
RBB0.79	0.79 IN.	RBB4.7	4.7 IN.	RBB8.4	8.4 IN.	RBB21.1	21.1 IN.
RBB0.98	0.98 IN.	RBB4.9	4.9 IN.	RBB8.5	8.5 IN.	RBB21.9	21.9 IN.
RBB1.1	1.10 IN.	RBB5.1	5.1 IN.	RBB8.8	8.8 IN.	RBB22.7	22.7 IN.
RBB1.3	1.30 IN.	RBB5.3	5.3 IN.	RBB9.0	9.0 IN.	RBB23.5	23.5 IN.
RBB1.5	1.50 IN.	RBB5.5	5.5 IN.	RBB9.4	9.4 IN.	RBB24.3	24.4 IN.
RBB1.7	1.70 IN.	RBB5.7	5.7 IN.	RBB10.1	10.1IN.	RBB25.1	25.1IN.
RBB1.9	1.90 IN.	RBB5.8	5.8 IN.	RBB10.9	10.9 IN.	RBB25.9	25.9 IN.
RBB2.1	2.1 IN.	RBB6.0	6.0 IN.	RBB11.7	11.7 IN.	RBB26.7	26.7 IN.
RBB2.3	2.3 IN.	RBB6.2	6.2 IN.	RBB12.4	12.4 IN.	RBB27.4	27.4 IN.
RBB2.5	2.5 IN.	RBB6.4	6.4 IN.	RBB13.2	13.2 IN.	RBB28.2	28.2 IN.
RBB2.7	2.7 IN.	RBB6.6	6.6 IN.	RBB14.0	14.0 IN.	RBB29.0	29.0 IN.
RBB2.9	2.9 IN.	RBB6.8	6.8 IN.	RBB14.9	14.9 IN.	RBB29.8	29.8 IN.
RBB3.1	3.1 IN.	RBB7.0	7.0 IN.	RBB15.6	15.6 IN.	RBB30.6	30.6 IN.
RBB3.3	3.3 IN.						

O RINGS RBC SERIES C/S 0.139 PAGE 12

PART#	I.C. IN.	PART#	I.C. IN.	PART#	I.C. IN.	PART#	I.C. IN.
RBC0.59	0.59 IN.	RBC4.7	4.7 IN.	RBC12.8	12.8 IN.	RBC23.6	23.6 IN.
RBC0.79	0.79 IN.	RBC5.0	5.0 IN.	RBC13.3	13.3 IN.	RBC24.2	24.2 IN.
RBC0.98	0.98 IN.	RBC5.4	5.4 IN.	RBC13.7	13.7 IN.	RBC25.0	25.0 IN.
RBC1.18	1.18 IN.	RBC5.9	5.9 IN.	RBC14.0	14.0 IN.	RBC25.9	25.9 IN.
RBC1.37	1.37 IN.	RBC6.2	6.2 IN.	RBC14.4	14.4 IN.	RBC26.7	26.7 IN.
RBC1.57	1.57 IN.	RBC6.5	6.5 IN.	RBC14.9	14.9 IN.	RBC27.5	27.5 IN.
RBC1.77	1.77 IN.	RBC7.0	7.0 IN.	RBC15.3	15.3 IN.	RBC28.3	28.3 IN.
RBC1.96	1.96 IN.	RBC7.4	7.4 IN.	RBC15.7	15.7 IN.	RBC29.0	29.0 IN.
RBC2.16	2.16 IN.	RBC7.8	7.8 IN.	RBC16.1	16.1 IN.	RBC29.8	29.8 IN.
RBC2.36	2.3 IN.	RBC8.2	8.2 IN.	RBC16.5	16.5 IN.	RBC30.6	30.6 IN.
RBC2.55	2.5 IN.	RBC8.5	8.5 IN.	RBC16.8	16.8 IN.	RBC31.4	31.4 IN.
RBC2.75	2.75 IN.	RBC9.0	9.0 IN.	RBC17.3	17.3 IN.	RBC33.0	33.0 IN.
RBC2.9	2.9 IN.	RBC9.4	9.4 IN.	RBC17.5	17.5 IN.	RBC34.5	34.5 IN.
RBC3.1	3.1 IN.	RBC9.8	9.8 IN.	RBC18.0	18.0 IN.	RBC36.1	36.1 IN.
RBC3.3	3.3 IN.	RBC10.1	10.1 IN.	RBC18.5	18.5 IN.	RBC37.7	37.7 IN.
RBC3.5	3.5 IN.	RBC10.5	10.5 IN.	RBC18.8	18.8 IN.	RBC40.8	40.8 IN.
RBC3.7	3.70 IN.	RBC10.9	10.9 IN.	RBC19.6	19.6 IN.	RBC44.0	44.0 IN.
RBC3.9	3.9 IN.	RBC11.2	11.2 IN.	RBC20.4	20.4 IN.	RBC47.1	47.1 IN.
RBC4.0	4.0 IN.	RBC11.7	11.7 IN.	RBC21.1	21.1 IN.	RBC50.2	50.2 IN.
RBC4.2	4.2 IN.	RBC12.1	12.1 IN.	RBC22.0	22.0 IN.	RBC53.4	53.4 IN.
RBC4.4	4.4 IN.	RBC12.4	12.4 IN.	RBC22.8	22.8 IN.	RBC56.5	56.5 IN.

O RINGS RBD SERIES C/S 0.210 PAGE 13

PART#	I.C. IN.	PART#	I.C. IN.	PART#	I.C. IN.	PART#	I.C. IN.
RBD0.59	0.59 IN.	RBD5.4	5.4 IN.	RBD14.0	14.0 IN.	RBD28.3	28.3 IN.
RBD0.79	0.79 IN.	RBD5.9	5.9 IN.	RBD14.4	14.4 IN.	RBD29.0	29.0 IN.
RBD0.98	0.98 IN.	RBD6.2	6.2 IN.	RBD14.9	14.9 IN.	RBD30.6	30.6 IN.
RBD1.18	1.18 IN.	RBD6.7	6.7 IN.	RBD15.2	15.2 IN.	RBD31.4	31.4 IN.
RBD1.37	1.37 IN.	RBD7.1	7.1 IN.	RBD15.6	15.6 IN.	RBD33.0	33.0 IN.
RBD1.6	1.30 IN.	RBD7.4	7.4 IN.	RBD16.0	16.0 IN.	RBD34.5	34.5 IN.
RBD1.77	1.77 IN.	RBD7.8	7.8 IN.	RBD16.4	16.4 IN.	RBD36.1	36.1 IN.
RBC1.9	1.90 IN.	RBD8.2	8.2 IN.	RBD17.2	17.2 IN.	RBD37.7	37.7 IN.
RBC2.1	2.10 IN.	RBD8.6	8.6 IN.	RBD17.6	17.6 IN.	RBD40.8	40.8 IN.
RBD2.3	2.30 IN.	RBD9.0	9.0 IN.	RBD18.0	18.0 IN.	RBD44.0	44.0 IN.
RBD2.5	2.50 IN.	RBD9.4	9.4 IN.	RBD18.5	18.5 IN.	RBD47.1	47.1 IN.
RBD2.7	2.70 IN.	RBD9.8	9.8 IN.	RBD18.8	18.8 IN.	RBD50.2	50.2 IN.
RBD2.9	2.90 IN.	RBD10.0	10.0 IN.	RBD19.6	19.6 IN.	RBD53.4	53.4 IN.
RBD3.1	3.1 IN.	RBD10.5	10.5 IN.	RBD20.3	20.3 IN.	RBD56.5	56.5 IN.
RBD3.3	3.3 IN.	RBD11.0	11.0 IN.	RBD21.1	21.1 IN.	RBD59.7	59.7 IN.
RBD3.5	3.5 IN.	RBD11.2	11.2 IN.	RBD21.9	21.9 IN.	RBD62.8	62.8 IN.
RBD3.7	3.70 IN.	RBD11.7	11.7 IN.	RBD22.7	22.7 IN.	RBD65.9	65.9 IN.
RBD3.9	3.9 IN.	RBD12.1	12.1 IN.	RBD23.5	23.5 IN.	RBD69.1	69.1 IN.
RBD4.0	4.0 IN.	RBD12.4	12.4 IN.	RBD24.3	24.3 IN.	RBD72.2	72.2 IN.
RBD4.2	4.2 IN.	RBD12.9	12.9 IN.	RBD25.0	25.0 IN.	RBD75.4	75.4 IN.
RBD4.4	4.4 IN.	RBD13.3	13.3 IN.	RBD25.9	25.9 IN.	RBD44.0	44.0 IN.
RBD4.7	4.7 IN.	RBD13.7	13.7 IN.	RBD26.7	26.7 IN.	RBD81.6	81.6 IN.
RBD5.0	5.0 IN.			RBD27.5	27.5 IN.		

O RINGS RBE SERIES C/S 0.275

PART#	I.C. IN.	PART#	I.C. IN.	PART#	I.C. IN.	PART#	I.C. IN.
RBE14.1	14.1 IN.	RBE18.8	18.8 IN.	RBE31.4	31.4 IN.	RBE51.8	51.8 IN.
RBE14.5	14.5 IN.	RBE19.6	19.6 IN.	RBE33.0	33.0 IN.	RBE53.4	53.4 IN.
RBE14.9	14.9 IN.	RBE20.4	20.4 IN.	RBE36.1	36.1 IN.	RBE55.0	55.0 IN.
RBE15.3	15.3 IN.	RBE21.2	21.2 IN.	RBE37.7	37.7 IN.	RBE56.5	56.5 IN.
RBE15.7	15.7 IN.	RBE22.0	22.0 IN.	RBE39.3	39.3 IN.	RBE58.0	58.0 IN.
RBE16.1	16.1 IN.	RBE22.8	22.8 IN.	RBE40.8	40.8 IN.	RBE59.7	59.7 IN.
RBE16.5	16.5 IN.	RBE23.5	23.5 IN.	RBE42.4	42.4 IN.	RBE61.2	61.2 IN.
RBE16.9	16.9 IN.	RBE24.3	24.3 IN.	RBE44.0	44.0 IN.	RBE62.8	62.8 IN.
RBE17.3	17.3 IN.	RBE25.1	25.1 IN.	RBE45.5	45.5 IN.	RBE65.9	65.9 IN.
RBE17.7	17.7 IN.	RBE26.7	26.7 IN.	RBE47.1	47.1 IN.	RBE69.1	69.1 IN.
RBE18.0	18.0 IN.	RBE28.3	28.3 IN.	RBE48.7	48.7 IN.	RBE72.2	72.2 IN.
RBE18.4	18.4 IN.	RBE29.8	29.8 IN.	RBE50.2	50.2 IN.		

TIRES PAGE 14

****NOTE TIR.130 IS A PLUG AND DOES NOT HAVE A CENTER HOLE****

PART#	O.D.	I.D.	C.S.	WALL	PART#	O.D.	I.D.	C.S.	WALL
TIR.130	0.13	N/A	0.16	N/A	TIR.594	0.594	0.394	0.08	0.1
TIR.253	0.253	0.123	0.32	0.065	TIR.600	0.6	0.426	0.055	0.087
TIR.300	0.3	0.198	0.251	0.051	TIR.601	0.6	0.39	0.12	0.105
TIR.335	0.335	0.199	1.25	0.068	TIR.602	0.602	0.396	0.307	0.103
TIR.340	0.34	0.13	0.27	0.105	TIR.605	0.605	0.445	0.287	0.08
TIR.363	0.363	0.279	0.253	0.042	TIR.610	0.61	0.294	0.102	0.158
TIR.365	0.365	0.185	0.3	0.09	TIR.611	0.61	0.25	0.76	0.18
TIR.390	0.39	0.19	0.15	0.1	TIR.612	0.61	0.407	0.0755	0.1015
TIR.391	0.39	0.19	0.225	0.1	TIR.615	0.615	0.395	0.14	0.11
TIR.395	0.395	0.25	.318	0.0725	TIR.617	0.6173	0.4173	0.124	0.1
TIR.396	0.395	0.26	0.275	0.0675	TIR.619	0.619	0.499	0.23	0.06
TIR.422	0.422	0.25	0.13	0.086	TIR.620	0.62	0.38	0.075	0.12
TIR.427	0.427	0.2745	0.23	0.07625	TIR.625	0.625	0.415	0.099	0.105
TIR.440	0.44	0.29	0.114	0.075	TIR.638	0.638	0.452	0.054	0.093
TIR.445	0.445	0.285	0.085	0.08	TIR.640	0.64	0.4	0.17	0.12
TIR.449	0.449	0.223	0.084	0.113	TIR.641	0.64	0.5	0.221	0.07
TIR.450	0.45	0.326	0.073	0.0062	TIR.643	0.643	0.571	0.061	0.036
TIR.453	0.453	0.297	0.155	0.078	TIR.660	0.66	0.39	0.052	0.135
TIR.455	0.455	0.25	0.316	0.1025	TIR.662	0.662	0.502	0.08	0.08
TIR.463	0.463	0.359	0.084	0.052	TIR.667	0.667	0.453	0.238	0.111
TIR.468	0.468	0.324	0.14	0.072	TIR.675	0.675	0.426	0.055	0.087
TIR.470	0.47	0.264	0.18	0.103	TIR.677	0.67746	0.47746	0.09	0.1
TIR.484	0.484	0.298	0.072	0.093	TIR.680	0.68	0.51	0.077	0.085
TIR.490	0.49	0.31	0.2	0.09	TIR.684	0.684	0.4572	0.12	0.1134
TIR.495	0.495	0.285	0.305	0.105	TIR.685	0.685	0.495	0.13	0.095
TIR.500	0.5	0.312	0.125	0.094	TIR.6875	0.6875	0.465	0.1	0.11125
TIR.501	0.5	0.25	0.21	0.125	TIR.688	0.688	0.458	0.12	0.115
TIR.510	0.51	0.42	0.054	0.045	TIR.689	0.689	0.567	0.117	0.061
TIR.515	0.515	0.345	0.19	0.085	TIR.703	0.703	0.485	0.16	0.109
TIR.525	0.525	0.31	0.245	0.1075	TIR.704	0.703	0.48	0.157	0.109
TIR.530	0.53	0.246	0.191	0.142	TIR.710	0.71	0.352	0.19	0.179
TIR.536	0.536	0.33	0.07	0.103	TIR.719	0.719	0.595	0.54	0.062
TIR.540	0.54	0.38	0.086	0.08	TIR.720	0.719	0.589	0.473	0.065
TIR.550	0.55	0.324	0.095	0.113	TIR.728	0.728	0.602	0.087	0.063
TIR.558	0.558	0.44	0.059	0.059	TIR.730	0.73	0.48	0.157	0.125
TIR.563	0.5629	0.3469	0.0748	0.108	TIR.740	0.74	0.52	0.085	0.11
TIR.570	0.57	0.36	0.11	0.105	TIR.742	0.742	0.576	0.1	0.083
TIR.571	0.57	0.41	0.125	0.108	TIR.747	0.747	0.549	0.099	0.099
TIR.583	0.5826	0.374	0.0826	0.1043	TIR.749	0.749	0.507	0.158	0.121
TIR.585	0.585	0.385	0.155	0.1	TIR.750	0.75	0.544	0.08	0.103
TIR.590	0.59	0.393	0.0787	0.0985	TIR.751	0.75	0.44	0.21	0.155
TIR.591	0.591	0.419	0.086	0.086	TIR.752	0.751	0.563	0.094	0.094

TIRES PAGE 15

PART#	O.D.	I.D.	C.S.	WALL	PART#	O.D.	I.D.	C.S.	WALL
TIR.753	0.753	0.543	0.158	0.105	TIR.953	0.953	0.615	0.076	0.169
TIR.758	0.76	0.58	0.068	0.09	TIR.955	0.955	0.795	0.066	0.08
TIR.759	0.76	0.542	0.075	0.109	TIR.956	0.956	0.752	0.066	0.102
TIR.760	0.76	0.51	0.16	0.125	TIR.960	0.96	0.812	0.08	0.074
TIR.761	0.76	0.4	0.22	0.18	TIR.965	0.965	0.735	0.09	0.115
TIR.762	0.762	0.542	0.077	0.11	TIR.968	0.968	0.786	0.12	0.091
TIR.763	0.763	0.5523	0.1184	0.10535	TIR.970	0.97	0.554	0.16	0.208
TIR.768	0.768	0.64	0.087	0.064	TIR.974	0.974	0.6275	0.31	0.17325
TIR.770	0.77	0.5	0.07	0.135	TIR.977	0.977	0.717	0.118	0.13
TIR.771	0.77	0.55	0.2	0.11	TIR.980	0.98	0.744	0.082	0.118
TIR.775	0.775	0.579	0.075	0.098	TIR.982	0.982	0.696	0.146	0.143
TIR.776	0.776	0.57	0.195	0.103	TIR.984	0.984	0.75	0.066	0.117
TIR.778	0.778	0.59	0.117	0.094	TIR.988	0.988	0.538	0.255	0.225
TIR.780	0.78	0.62	0.335	0.08	TIR.989	0.988	0.754	0.158	0.117
TIR.787	0.7874	0.5512	0.1181	0.1181	TIR.999	0.999	0.769	0.08	0.115
TIR.788	0.788	0.476	0.075	0.156	TIR1.000	1	0.655	0.424	0.1725
TIR.790	0.79	0.54	0.16	0.125	TIR1.001	1.001	0.821	0.107	0.09
TIR.795	0.795	0.625	0.077	0.085	TIR1.002	1	0.72	0.22	0.14
TIR.810	0.81	0.59	0.125	0.11	TIR1.015	1.015	0.843	0.062	0.086
TIR.816	0.816	0.608	0.101	0.104	TIR1.016	1.016	0.746	0.114	0.135
TIR.823	0.823	0.609	0.06	0.107	TIR1.017	1.017	0.751	0.132	0.133
TIR.828	0.828	0.738	0.145	0.045	TIR1.025	1.025	0.6695	0.315	0.1778
TIR.829	0.828	0.688	0.196	0.07	TIR1.030	1.03	0.774	0.14	0.128
TIR.830	0.83	0.55	0.525	0.14	TIR1.035	1.035	0.755	0.08	0.14
TIR.840	0.84	0.62	0.07	0.11	TIR1.036	1.036	0.726	0.08	0.155
TIR.843	0.843	0.443	0.325	0.2	TIR1.040	1.04	0.76	0.187	0.14
TIR.845	0.845	0.535	0.75	0.155	TIR1.050	1.05	0.78	0.072	0.135
TIR.850	0.85	0.6	0.11	0.125	TIR1.051	1.05	0.69	0.18	0.18
TIR.855	0.855	0.525	0.14	0.165	TIR1.057	1.057	0.767	0.086	0.145
TIR.880	0.88	0.58	0.15	0.15	TIR1.058	1.057	0.877	0.18	0.09
TIR.881	0.88	0.58	0.21	0.15	TIR1.060	1.06	0.8	0.243	0.13
TIR.895	0.895	0.787	0.171	0.054	TIR1.070	1.07	0.662	0.19	0.204
TIR.900	0.9	0.74	0.05	0.08	TIR1.093	1.093	0.841	0.191	0.126
TIR.915	0.915	0.775	0.09	0.07	TIR1.0986	1.0986	0.8426	0.158	0.128
TIR.925	0.925	0.671	0.19	0.127	TIR1.109	1.109	0.955	0.077	0.077
TIR.927	0.927	0.673	0.118	0.127	TRI1.110	1.11	0.85	0.155	0.13
TIR.928	0.927	0.527	0.141	0.2	TIR1.1181	1.1181	0.6943	0.4633	0.2118
TIR.929	0.9293	0.6853	0.189	0.122	TIR1.120	1.12	0.83	0.245	0.145
TIR.930	0.93	0.7	0.12	0.115	TIR1.122	1.122	0.912	0.12	0.105
TIR.935	0.935	0.715	0.05	0.11	TIR1.1261	1.1261	0.8661	0.116	0.13
TIR.944	0.944	0.742	0.09	0.101	TIR1.130	1.13	0.87	0.12	0.13
TIR.950	0.95	0.78	0.14	0.085	TIR1.1341	1.1341	0.8661	0.173	0.134

TIRES PAGE 16

PART#	O.D.	I.D.	C.S.	WALL	PART#	O.D.	I.D.	C.S.	WALL
TIR1.140	1.14	0.984	0.192	0.078	TIR1.4147	1.4147	0.9889	0.0899	0.2129
TIR1.151	1.151	0.895	0.19	0.128	TIR1.415	1.415	1.087	0.143	0.164
TIR1.152	1.152	0.916	0.102	0.118	TIR1.416	1.415	1.155	0.155	0.13
TIR1.156	1.156	0.905	0.16	0.126	TIR1.430	1.43	0.935	0.317	0.2475
TIR1.165	1.165	0.925	0.075	0.12	TIR1.445	1.445	0.967	0.192	0.239
TIR1.1656	1.1656	0.9136	0.118	0.126	TIR1.450	1.45	1.23	0.075	0.11
TIR1.166	1.166	0.882	0.154	0.142	TIR1.459	1.459	1.21	0.126	0.125
TIR1.170	1.17	0.92	0.115	0.125	TIR1.465	1.465	0.9825	0.426	0.2413
TIR1.171	1.17	0.92	0.187	0.125	TIR1.475	1.475	1.301	0.614	0.087
TIR1.174	1.174	0.934	0.195	0.12	TIR1.4804	1.4804	1.2124	0.164	0.134
TIR1.180	1.18	0.93	0.2	0.125	TIR1.4932	1.4932	1.2732	0.118	0.11
TIR1.185	1.185	0.925	0.1	0.13	TIR1.500	1.5	1.17	0.155	0.165
TIR1.190	1.19	0.98	0.1	0.105	TIR1.541	1.541	1.111	0.19	0.215
TIR1.192	1.192	0.7837	0.425	0.2042	TIR1.5412	1.5412	1.2732	0.132	0.134
TIR1.200	1.2	0.5	0.15	0.35	TIR1.575	1.575	1.1535	0.413	0.2108
TIR1.201	1.201	0.881	0.12	0.16	TIR1.576	1.575	1.2235	0.423	0.1758
TIR1.208	1.208	1.012	0.12	0.098	TIR1.580	1.58	1.326	0.114	0.127
TIR1.2121	1.2121	0.8661	0.158	0.173	TIR1.581	1.58	1	0.59	0.29
TIR1.218	1.218	0.706	0.163	0.256	TIR1.590	1.59	1.33	0.158	0.13
TIR1.218	1.218	0.942	0.177	0.138	TIR1.750	1.75	1.43	0.12	0.16
TIR1.229	1.229	1.015	0.14	0.107	TIR1.751	1.75	1.43	0.186	0.16
TIR1.230	1.23	0.98	0.125	0.125	TIR1.780	1.78	1.616	0.117	0.082
TIR1.240	1.24	0.73	0.5	0.255	TIR1.781	1.78	1.616	0.187	0.082
TIR1.243	1.243	1.003	0.125	0.12	TIR1.850	1.85	1.5	0.185	0.175
TIR1.250	1.25	0.972	0.255	0.139	TIR1.905	1.905	1.585	0.19	0.16
TIR1.257	1.2597	1.0157	0.142	0.122	TIR1.940	1.94	1.6	0.2	0.17
TIR1.263	1.263	0.945	0.654	0.159	TIR1.960	1.96	1.68	0.125	0.14
TIR1.264	1.264	0.964	0.108	0.15	TIR1.980	1.98	1.68	0.18	0.15
TIR1.270	1.27	0.66	0.3937	0.305	TIR2.135	2.135	1.835	0.15	0.15
TIR1.271	1.27	0.66	0.505	0.305	TIR2.245	2.245	1.875	0.27	0.185
TIR1.275	1.274	1.024	0.065	0.125	TIR2.385	2.385	2.085	0.12	0.15
TIR1.274	1.274	1.074	0.18	0.1	TIR2.399	2.399	2.149	0.184	0.125
TIR1.2751	1.2751	0.9451	0.128	0.165	TIR2.480	2.48	2.29	0.139	0.095
TIR1.310	1.31	0.94	0.155	0.185	TIR2.590	2.59	2.154	0.187	0.218
TIR1.321	1.321	1.075	0.119	0.123	TIR2.600	2.59	2.134	0.191	0.228
TIR1.360	1.36	1.14	0.16	0.11	TIR2.650	2.65	2.458	0.187	0.096
TIR1.370	1.37	0.964	0.125	0.203	TIR2.750	2.75	2.38	0.186	0.185
TIR1.3784	1.3784	1.0644	0.14	0.157	TIR2.870	2.87	2.37	0.28	0.25
TIR1.396	1.396	1.148	0.155	0.124	TIR2.850	2.85	2.61	0.163	0.12
TIR1.400	1.4	1.1	0.115	0.15	TIR3.630	3.63	3.38	0.25	0.125