

The logo features a stylized 'A' in blue, an ampersand '&' in white, and a 'V' in black, all set against a white background. Below the logo, the word 'COMPONENTS' is written in a large, bold, black, sans-serif font.

COMPONENTS

COMPUTER PRODUCTS 2015

Tel : 516-791-1121

Fax : 516-791-1171

Email: sales@avcomponents.net


Web: www.avcomponents.net

TABLE OF CONTENTS

USB 2.0 CABLES	PAGE 03
MICRO USB 2.0 CABLES	PAGE 04
MINI USB 2.0 4 PIN CABLES	PAGE 04
MINI USB 2.0 5 PIN CABLES	PAGE 04
USB 3.0 CABLES	PAGE 04
USB 1.1 EXTENDER CABLE VIA ETHERNET	PAGE 05
USB 2.0 ACTIVE REPEATER CABLES	PAGE 05
DB25 SERIAL CABLES	PAGE 05
DB9 SERIAL CABLES	PAGE 06
DB37 RS-449 CABLES	PAGE 06
AT/XT CABLES	PAGE 06
MAC SERIAL CABLES	PAGE 06
NULL MODEM CABLES	PAGE 07
VGA CABLES	PAGE 07
SUPER VGA CABLES WITH FERRITES	PAGE 08
SUPER VGA WITH AUDIO	PAGE 08
MAC MONITOR CABLES	PAGE 08
DVI CABLES	PAGE 09
PS/2 KEYBOARD AND MOUSE CABLES	PAGE 10
PC/AT KEYBOARD AND MOUSE CABLES	PAGE 10
EXTERNAL POWER CABLES	PAGE 10
D-SUB CONNECTORS	PAGE 11
D-SUB CRIMP PINS	PAGE 11
D-SUB HOODS	PAGE 11
MINI GENDER CHANGERS	PAGE 11
AT TO PS/2 ADAPTERS	PAGE 11
SERIAL ADAPTERS	PAGE 12
NULL MODEM ADAPTERS	PAGE 12
MODULAR ADAPTERS	PAGE 12
VGA ADAPTERS	PAGE 12
FILE TRANSFER CABLES	PAGE 12
USB ADAPTERS	PAGE 13
VGA SPLITTERS	PAGE 13
MANUAL SWITCH BOXES	PAGE 14


USB 2.0 A/MALE TO A/MALE CABLES

PART#	DESCRIPTION
CCUSBAA3	3FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAABK3	3FT BLACK USB 2.0 A-MALE TO A-MALE
CCUSBAA6	6FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAABK6	6FT BLACK USB 2.0 A-MALE TO A-MALE
CCUSBAA10	10FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAABK10	10FT BLACK USB 2.0 A-MALE TO A-MALE
CCUSBAA15	15FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAABK15	15FT BLACK USB 2.0 A-MALE TO A-MALE




USB 2.0 A/MALE TO A/FEMALE CABLES

PART#	DESCRIPTION
CCUSBAAMFBK7IN	7IN. BLACK USB 2.0 A-MALE TO A-MALE
CCUSBAAMF3	3FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAAMFBK3	3FT BLACK USB 2.0 A-MALE TO A-MALE
CCUSBAAMF6	6FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAAMFBK6	6FT BLACK USB 2.0 A-MALE TO A-MALE
CCUSBAAMFWH6	6FT WHITE USB 2.0 A-MALE TO A-MALE
CCUSBAAMF10	10FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAAMFBK10	10FT BLACK USB 2.0 A-MALE TO A-MALE
CCUSBAAMFWH10	10FT WHITE USB 2.0 A-MALE TO A-MALE
CCUSBAAMF15	15FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAAMFBK15	15FT BLACK USB 2.0 A-MALE TO A-MALE
CCUSBAAMFWH15	15FT WHITE USB 2.0 A-MALE TO A-MALE



USB 2.0 A/MALE TO B/MALE CABLES

PART#	DESCRIPTION
CCUSBAA3	3FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAABK3	3FT BLACK USB 2.0 A-MALE TO A-MALE
CCUSBAA6	6FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAABK6	6FT BLACK USB 2.0 A-MALE TO A-MALE
CCUSBAA10	10FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAABK10	10FT BLACK USB 2.0 A-MALE TO A-MALE
CCUSBAA15	15FT IVORY USB 2.0 A-MALE TO A-MALE
CCUSBAABK15	15FT BLACK USB 2.0 A-MALE TO A-MALE



MICRO USB 2.0 CABLES

PART#	DESCRIPTION
CCUSBAMBX8IN	8 inch USB2.0 A-Male/Micro B USB-Male Cable
CCUSBAMBX3	3FT USB2.0 A-Male/Micro B USB-Male Cable
CCUSBAMBX6	6FT USB2.0 A-Male/Micro B USB-Male Cable
CCUSBAMBX10	10FT USB2.0 A-Male/Micro B USB-Male Cable
CCUSBAMBX15	15FT USB2.0 A-Male/Micro B USB-Male Cable



MINI USB 2.0 4 PIN CABLES

PART#	DESCRIPTION
CCUSBAM4MI3	3Ft A-Male to Mini 4Pin Male USB2.0 Cable
CCUSBAM4MI6	6Ft A-Male to Mini 4Pin Male USB2.0 Cable



MINI USB 2.0 5 PIN CABLES

PART#	DESCRIPTION
CCUSBA5MI1	1FT USB2.0 A-Male to Mini 5Pin USB-Male Cable
CCUSBA5MI3	3FT USB2.0 A-Male to Mini 5Pin USB-Male Cable
CCUSBA5MI6	6FT USB2.0 A-Male to Mini 5Pin USB-Male Cable
CCUSBA5MI10	10FT USB2.0 A-Male to Mini 5Pin USB-Male Cable
CCUSBA5MI15	15FT USB2.0 A-Male to Mini 5Pin USB-Male Cable
CCUSB5MI3	3FT USB2.0 Mini 5Pin to Mini 5Pin USB-Male Cable
CCUSBB5MI3	3FT USB2.0 B-Male to Mini 5Pin USB-Male Cable



USB 3.0 A/MALE TO A/MALE CABLES

PART#	DESCRIPTION
CCUSB3.0AA1.5	1.5Ft A-Male to A-Male USB3.0 Cable
CCUSB3.0AA3	3Ft A-Male to A-Male USB3.0 Cable
CCUSB3.0AA6	6Ft A-Male to A-Male USB3.0 Cable
CCUSB3.0AA10	10Ft A-Male to A-Male USB3.0 Cable



USB 3.0 A/MALE TO A/FEMALE CABLES

PART#	DESCRIPTION
CCUSB3.0AAMF1.5	1.5Ft A-Male to A-Female USB3.0 Cable
CCUSB3.0AAMF3	3Ft A-Male to A-Female USB3.0 Cable
CCUSB3.0AAMF6	6Ft A-Male to A-Female USB3.0 Cable
CCUSB3.0AAMF10	10Ft A-Male to A-Female USB3.0 Cable



USB 3.0 A/MALE TO B/MALE CABLES

PART#	DESCRIPTION
CCUSB3.0AAMF1.5	1.5Ft A-Male to A-Female USB3.0 Cable
CCUSB3.0AAMF3	3Ft A-Male to A-Female USB3.0 Cable
CCUSB3.0AAMF6	6Ft A-Male to A-Female USB3.0 Cable
CCUSB3.0AAMF10	10Ft A-Male to A-Female USB3.0 Cable



USB 1.1 200FT EXTENDER CABLE VIA ETHERNET

PART#: CCUSBEXT DESC.:USB1.1 200Ft Extender Via Ethernet


This USB extender allows you to conquer the 5 Meter USB length limitation, Connect your USB peripherals and important equipments without regard for proximity. The USB Extender uses Cat5, Cat5e, or Cat6 RJ/45 cable to extend the range of your USB devices by up to 200 feet. The unit's compact design allows for easy placement behind equipment or around corners. It's simple: One side of the USB Extender attaches to your USB peripheral, the other to the USB port on your PC. The three aforementioned cable options connect them in the middle. Gone are the days of trying to fit all your peripherals onto one desk. The USB Extender simplest way to spread your equipment out. Now you can place your USB cameras, printers, web cams, keyboard/mouse extensions or any other USB device exactly where you want it. * Use Cat5e, or Cat6 RJ/45 cabling to extend your USB peripherals up to 200 feet away * Ideal for use with USB cameras, printers, web cams, keyboard/mouse extensions, and any other USB device * Uses standard Cat5/Cat5E/Cat6 patch cord (not included).* Extremely easy to install * Compact design, allows for easy placement * Fully compliant with (1.0, 1.1) USB standards * For use with any USB compatible computer* No software required * (Mac): Mac OS 8.6 or Later

* (PC):Win98/98SE/2000/ME/XP/Vista/7



USB 2.0 ACTIVE REPEATER EXTENSION CABLES

PART#	DESCRIPTION
CCUSBRPTR15	15Ft USB2.0 Active Repeater Cable A-Male/Female
CCUSBRPTR30	30Ft USB2.0 Active Repeater Cable A-Male/Female
CCUSBRPTR50	50Ft USB2.0 Active Repeater Cable A-Male/Female
CCUSBRPTR65	65Ft USB2.0 Active Repeater Cable A-Male/Female
CCUSBRPTR80	80Ft USB2.0 Active Repeater Cable A-Male/Female
CCUSBBRTR30	30Ft USB2.0 Active Repeater Cable A-Male/B-Male



DB25 SERIAL CABLES

PART# CC25FFX

X=LENGTH IN FEET (SUBSTITUTE 3 OR 6 FOR X)

DESC:

DB25 FEMALE/FEMALE SERIAL CABLE



PART# CC25MFX

X=LENGTH IN FEET (SUBTITUTE 3, 6, 10, 15, 25, 50, 100 FOR X)

DESC:

DB25 MALE/FEMALE SERIAL CABLE



PART# CC25MMX

LENGTH IN FEET (SUBTITUTE 3, 6, 10, 15, 25, 50, 100 FOR X)

DESC:

DB25 MALE/MALE SERIAL CABLE



DB9 SERIAL CABLES

PART# CC9FFX

X=LENGTH IN FEET (SUBSTITUTE 3, 6, 10, 15, 25, 100 FOR X)

DESC:

DB9 FEMALE/FEMALE SERIAL CABLE



PART# CC9MFX

X=LENGTH IN FEET (SUBSTITUTE 3, 6, 10, 15, 25, 50, 100 FOR X)

DESC:

DB9 MALE/FEMALE SERIAL CABLE



PART# CC9MMX

X=LENGTH IN FEET (SUBSTITUTE 3, 6, 10, 15, 25, 50, 100 FOR X)

DESC:

DB9 MALE/MALE SERIAL CABLE



DB37 RS-449 CABLES

PART# CC37MFX

X=LENGTH IN FEET (SUBSTITUTE 3, 6, 10, FOR X)

DESC:

DB37 MALE/FEMALE RS-449 CABLE



PART# CC37MMX

X=LENGTH IN FEET (SUBSTITUTE 3, 6, 10, FOR X)

DESC:

DB37 MALE/MALE RS-449 CABLE



Connector A Male

Connector B Male

AT/XT CABLES

PART# CCATXT(X)

(X)=LENGTH IN FEET (SUBSTITUTE 1, 6, 10, 15, 25 FOR X)

DESC:

DB9 FEMALE TO DB25 MALE AT/XT CABLE



MAC SERIAL CABLES

PART#	DESCRIPTION
CC8MF6	6FT MAC Serial Extension Mini Din8M/F Cable
CC8MM6	6FT MAC Serial Cable Mini Din8M/M
CC8MM25	25FT MAC Serial Cable Mini Din8M/M



NULL MODEM CABLES



PART#	DESCRIPTION
CC25FFNM6	6FT DB25 FEMALE/FEMALE NULL MODEM CABLE
CC25FFNM10	10FT DB25 FEMALE/FEMALE NULL MODEM CABLE
CC25MFNM6	6FT DB25 MALE/FEMALE NULL MODEM CABLE
CC25MFNM10	10FT DB25 MALE/FEMALE NULL MODEM CABLE
CC25MMNM6	6FT DB25 MALE/MALE NULL MODEM CABLE
CC25MMNM10	10FT DB25 MALE/MALE NULL MODEM CABLE
CC25MMNM15	15FT DB25 MALE/MALE NULL MODEM CABLE
CC925FFNM6	6FT DB9 FEMALE-DB25 FEMALE NULL MODEM CABLE
CC925FFNM10	10FT DB9 FEMALE-DB25 FEMALE NULL MODEM CABLE
CC925FMNM6	6FT DB9 FEMALE-DB25 MALE NULL MODEM CABLE
CC925FMNM10	10FT DB9 FEMALE-DB25 MALE NULL MODEM CABLE
CC925FMNM15	15FT DB9 FEMALE-DB25 MALE NULL MODEM CABLE
CC925FMNM25	25FT DB9 FEMALE-DB25 MALE NULL MODEM CABLE
CC9FFNM6	6FT DB9 FEMALE/FEMALE NULL MODEM CABLE
CC9FFNM10	10FT DB9 FEMALE/FEMALE NULL MODEM CABLE
CC9FMNM6	6FT DB9 FEMALE/MALE NULL MODEM CABLE
CC9FMNM10	10FT DB9 FEMALE/MALE NULL MODEM CABLE
CC9FMNM15	15FT DB9 FEMALE/MALE NULL MODEM CABLE



VGA CABLES

PART#	DESCRIPTION
CCVGAMF3	14C 3FT VGA M/F MONITOR EXTENSION CABLE
CCVGAMF6	14C 6FT VGA M/F MONITOR EXTENSION CABLE
CCVGAMF10	14C 10FT VGA M/F MONITOR EXTENSION CABLE
CCVGAMF15	14C 15FT VGA M/F MONITOR EXTENSION CABLE
CCVGAMF25	14C 25FT VGA M/F MONITOR EXTENSION CABLE
CCVGAMFX6	15C 6FT VGA M/F MONITOR EXTENSION CABLE
CCVGAMFX10	15C 10FT VGA M/F MONITOR EXTENSION CABLE
CCVGAMM3	14C 3FT VGA M/M MONITOR EXTENSION CABLE
CCVGAMM6	14C 6FT VGA M/M MONITOR EXTENSION CABLE
CCVGAMM10	14C 10FT VGA M/M MONITOR EXTENSION CABLE
CCVGAMM15	14C 15FT VGA M/M MONITOR EXTENSION CABLE
CCVGAMM25	14C 25FT VGA M/M MONITOR EXTENSION CABLE
CCVGAMMX6	15C 6FT VGA M/M MONITOR EXTENSION CABLE
CCVGAMMX10	15C 10FT VGA M/M MONITOR EXTENSION CABLE



SUPER VGA CABLES WITH FERRITES

High Performance ferrited and double shielded VGA/QXGA HDTV/HD15 Male to Male monitor Cable connects any VGA/QXGA video to any computer, switch or splitter with HD15 female port. Supports all monitors including flat panel display, high-resolution desktop. CAD and graphic workstations. Ferrite core gives you extra protection against electro magnetic noise.

PART# CCSVGAMF(X)

(X)=LENGTH IN FEET

AVAILABLE LENGTHS 3, 6, 10, 15, 25, 50, 75, 100

DESCRIPTION: SUPER VGA EXTENSION CABLE WITH FERRITES HIGH DENSITY 15PIN, 14C (PIN 9 REMOVED) MALE-FEMALE

PART# CCSVGAMM(X)

(X)=LENGTH IN FEET

AVAILABLE LENGTHS 3, 6, 10, 15, 35, 25, 50, 75, 100

DESCRIPTION: SUPER VGA REPLACEMENT CABLE WITH FERRITES HIGH DENSITY 15PIN, 14C (PIN 9 REMOVED) MALE-MALE



SUPER VGA CABLES WITH 3.5MM AUDIO PLUGS

HIGH RESOLUTION VGA WITH AUDIO CABLE

26AWG,UL, 3 Conductor, VGA with Audio, Molded, PVC, with 15 Pin HD connector and audio cable with stereo mini 3.5mm connector on each end.

PART# CCSVGASTMF(X) (X)=LENGTH IN FEET

AVAILABLE LENGTHS 3, 6 FEET

DESCRIPTION: SVGA M/F EXTENSION CABLE WITH 3.5mm AUDIO PLUG

PART# CCSVGASTMM(X) (X)=LENGTH IN FEET

AVAILABLE LENGTHS 3, 6, 10, 15, 24, 35, 50, 75, 100

DESCRIPTION: SVGA M/M REPLACEMENT CABLE WITH 3.5mm AUDIO PLUG



DB15 MAC MONITOR CABLES

Connect your Mac« computer with a compatible multisync monitor. Our inexpensive video cables and extensions provide you with an economical way to get your work environment set-up to fit your needs.



PART#	DESCRIPTION
CCMACMF6	6 FT MAC MONITOR EXTENSION CABLE DB15 M/F
CCMACMF10	10 FT MAC MONITOR EXTENSION CABLE DB15 M/F
CCMACMM6	6 FT MAC MONITOR EXTENSION CABLE DB15 M/M
CCMACMM10	10 FT MAC MONITOR REPLACEMENTCABLE DB15M/M



DVI CABLES

Digital Video Interface (DVI) is the new and upcoming standard for video on computers and LCD monitors. DVI has two sections to the specification, analog and digital. This cable connects an analog VGA video card with analog DVI LCD monitor or an analog DVI video card with a VGA Monitor.

Digital Video Interface Analog: DVI-A analog to VGA video cable

Digital Video Interface Analog and Digital:DVI-I single link cable

Digital Video Interface Digital:DVI-D single link cable

Digital Video Interface Digital Dual:DVI-D dual link cable

Digital Video Interface Digital to HDMI: DVI-D Single Male to HDMI Male

PART#	DESCRIPTION
DVIAMVGAM1M	DVI ANALOG MALE TO VGA HD15M 1 METER
DVIAMVGAM2M	DVI ANALOG MALE TO VGA HD15M 2 METERS
DVIAMVGAM3M	DVI ANALOG MALE TO VGA HD15M 3 METERS
DVIAMVGAM5M	DVI ANALOG MALE TO VGA HD15M 5 METERS
DVIDMF3	3FT DVI-D M/F Dual Link Cable (24+1)Extension Cable
DVIDMF6	6FT DVI-D M/F Dual Link Cable (24+1)Extension Cable
DVIDMF10	10FT DVI-D M/F Dual Link Cable (24+1)Extension Cable
DVIDMF15	15FT DVI-D M/F Dual Link Cable (24+1)Extension Cable
DVIDMM2M	2 METER DVI-D M/M Dual Link Cable (24+1)
DVIDMM3M	3 METER DVI-D M/M Dual Link Cable (24+1)
DVIDMM5M	5 METER DVI-D M/M Dual Link Cable (24+1)
DVIDMM10M	10 METER DVI-D M/M Dual Link Cable (24+1)
DVIDMM15M	15 METER DVI-D M/M Dual Link Cable (24+1)
DVIDMM15	15ft 28awg DVI-D M/M Dual Link Cable (24+1)
DVIDMM25	25ft 28awg DVI-D M/M Dual Link Cable (24+1)
DVIDMM25A	25ft 24awg DVI-D M/M Dual Link Cable (24+1)
DVIDHDMI3	3Ft HDMI to DVI-D Single Cable Gold Plated
DVIDHDMI6	6Ft HDMI to DVI-D Single Cable Gold Plated
DVIDHDMI10	10Ft HDMI to DVI-D Single Cable Gold Plated
DVIDHDMI15	15Ft HDMI to DVI-D Single Cable Gold Plated
DVIDHDMI20	20Ft HDMI to DVI-D Single Cable Gold Plated
DVIDHDMI25	25Ft HDMI to DVI-D Single Cable Gold Plated
DVISMM2M	2 METER DVI SINGLE LINK M/M CABLE
DVISMM3M	3 METER DVI SINGLE LINK M/M CABLE
DVISMM5M	5 METER DVI SINGLE LINK M/M CABLE
DVISMM25	25 FT DVI SINGLE LINK M/M CABLE



PS/2 KEYBOARD AND MOUSE CABLES

PS/2 Male to Female cable is typically used to extend your PS/2 device such as PS/2 mouse or keyboard.

* Fully molded connectors * Connectors: Mini DIN 6 Male to Mini DIN 6 Female * All 6 connector pins are wired straight through

PS/2 Male to Male cable is used to connect PC Mini DIN6 port and device with Mini DIN 6 port such as PS/2 switch box.

* Fully molded connectors * Connectors: Mini DIN 6 Male to Mini DIN 6 Male * All 6 connector pins are wired straight through

PART#	DESCRIPTION	PART#	DESCRIPTION
CC6MF6	6Ft PS/2 M/F Extension Cable	CC6MM6	6Ft PS/2 M/M Replacement Cable
CC6MF10	10Ft PS/2 M/F Extension Cable	CC6MM10	10Ft PS/2 M/M Replacement Cable
CC6MF15	15Ft PS/2 M/F Extension Cable	CC6MM15	15Ft PS/2 M/M Replacement Cable
CC6MF25	25Ft PS/2 M/F Extension Cable	CC6MM25	25Ft PS/2 M/M Replacement Cable
CC6MF50	50Ft PS/2 M/F Extension Cable	CC6MM50	50Ft PS/2 M/M Replacement Cable
CC6MF100	100Ft PS/2 M/F Extension Cable		



PC/AT KEYBOARD CABLES


AT DIN5 KEYBOARD CABLE: Extend the reach of your keyboard with this straight AT style cable.

* Use this cable to increase the standard length of your Mac keyboard or mouse connection. * Connectors: DIN5 Male/DIN5 Male or DIN5 Male/DIN5 Female * State-of-the-art wiring design ensures 100% compatibility with all devices 100% of the time. * PVC rubberized cable jacket provides added durability. * Aluminum undermold shield to meet FCC requirements on EMI/RFI interference. * Tin-plated copper contacts provide maximum conductivity with no data loss. * 28-gauge stranded tinned copper conductors for excellent signal transmission. * Ground indents provide excellent conductivity and retention with mating connectors.* PVC premold encapsulates individual conductors to ensure electrical isolation and to eliminate stress.

AT DIN5 COILED KEYBOARD CABLE: Extend the reach of your keyboard with this straight AT style extension cable. These high-quality,


* Use this cable to increase the standard length of your Mac keyboard or mouse connection.* Connectors: DIN5 Male/DIN5 Female * State-of-the-art wiring design ensures 100% compatibility with all devices 100% of the time.* PVC rubberized cable jacket provides added durability.* Aluminum undermold shield to meet FCC requirements on EMI/RFI interference.* Tin-plated copper contacts provide maximum conductivity with no data loss. * 28-gauge stranded tinned copper conductors for excellent signal transmission.* Ground indents provide excellent conductivity and retention with mating connectors.* PVC premold encapsulates individual conductors to ensure electrical isolation and to eliminate stress. * Coiled format

PART#	DESCRIPTION
CC5MF6	6' DIN5 Keyboard Cable - M/F
CC5MF10	10' DIN5 Keyboard Cable - M/F
CC5MF15	15' DIN5 Keyboard Cable - M/F
CC5MF25	25' DIN5 Keyboard Cable - M/F
CC5MM6	6' DIN5 Keyboard Cable - M/M
CC5MM10	10' DIN5 Keyboard Cable - M/M
CC5MM15	15' DIN5 Keyboard Cable - M/M



EXTERNAL POWER CORDS

PART#	DESCRIPTION
CCPCBK3	AC Power Cord 18AWG UL/CSA,3FT
CCPCBK6	AC Power Cord 18AWG UL/CSA,6FT
CCPCBK12	AC Power Cord 18AWG UL/CSA,12FT
CCPCEBK6	6Ft Computer Power Extension Cord Black / SJT 18/3 SF-81+82
CCPCRABK6	AC Power Cord Right Angle UL/CSA 6ft
CCPCNBK6	Power Cord for Notebook 6ft



D-SUB CONNECTORS



PART#	DESCRIPTION
PCCC15F	DB 15 FEMALE CRIMP CUP
PCCC15M	DB 15 MALE CRIMP CUP
PCCCHDF15	HD 15 FEMALE CRIMP CUP
PCCCHDM15	HD 15 MALE CRIMP CUP
PCCC25F	DB 25 FEMALE CRIMP CUP
PCCC25M	DB 25 MALE CRIMP CUP
PCCC9F	DB 9 FEMALE CRIMP CUP
PCCC9M	DB 9 MALE CRIMP CUP
PCSC15F	DB 15 FEMALE SOLDER CUP
PCSC15M	DB 15 MALE SOLDER CUP
PCSCHDF15	HD 15 FEMALE SOLDER CUP
PCSCHDM15	HD 15 MALE SOLDER CUP
PCSC25F	DB 25 FEMALE SOLDER CUP
PCSC25M	DB 25 MALE SOLDER CUP
PCSC9F	DB 9 FEMALE SOLDER CUP
PCSC9M	DB 9 MALE SOLDER CUP



D SUB CRIMP PINS

PART#	DESCRIPTION
PCPINF-C	D-SUB FEMALE CRIMP PINS 100PK
PCPINM-C	D-SUB FEMALE CRIMP PINS 100PK
PCPINHDF-C	HIGH DENSITY FEMALE CRIMP PINS 100PK
PCPINHDM-C	HIGH DENSITY MALE CRIMP PINS 100PK



D SUB HOODS

PART#	DESCRIPTION
PCPH15	DB 15 PLASTIC HOOD WITH THUMB SCREWS
PCPH25	DB 25 PLASTIC HOOD WITH THUMB SCREWS
PCPH9	DB 9 PLASTIC HOOD WITH THUMB SCREWS
PCPHM15	DB 15 METALIZED PLASTIC HOOD WITH THUMB SCREWS
PCPHM25	DB 25 METALIZED PLASTIC HOOD WITH THUMB SCREWS
PCPHM9	DB 9 METALIZED PLASTIC HOOD WITH THUMB SCREWS



MINI GENDER CHANGERS

PART#	PART#
PCGC15F	DB15 F/F Mini Gender Changer
PCGC15M	DB15 M/M Mini Gender Changer
PCGC25F	DB25 F/F Mini Gender Changer
PCGC25M	DB25 M/M Mini Gender Changer
PCGC9F	DB9 F/F Mini Gender Changer
PCGC9M	DB9 M/M Mini Gender Changer
PCGCHD15F	HD15 F/F Mini Gender Changer
PCGCHD15M	HD15 M/M Mini Gender Changer
PCGCMD6F	Mini Din 6 F/F Gender Changer
PCGCMD6M	Mini Din 6 M/M Gender Changer



AT TO PS2 ADAPTERS

PART#	DESCRIPTION		
AD5F6M	DIN 5 FEMALE TO MINI DIN 6 MALE ADAPTER		
AD5M6F	DIN 5 MALE TO MINI DIN 6 FEMALE ADAPTER		

SERIAL ADAPTERS

PART#	DESCRIPTION				
AD25F9M	DB25 FEMALE TO DB9 MALE ADAPTER	Front	Back	Front	Back
AD25M9F	DB25 MALE TO DB9 FEMALE ADAPTER				
AD9F25F	DB9 FEMALE TO DB25 FEMALE ADAPTER				
AD9M25M	DB9 MALE TO DB25 MALE ADAPTER				
AJB	JUMPER BOX	Front	Back	Front	Back

NULL MODEM ADAPTERS

PART#	DESCRIPTION			
AD25FFNM	DB25 NULL MODEM ADAPTER F/F			
AD25MFNM	DB25 NULL MODEM ADAPTER M/F			
AD25MMNM	DB25 NULL MODEM ADAPTER M/M			
AD9FFNM	DB9 NULL MODEM ADAPTER F/F			
AD9MFNM	DB9 NULL MODEM ADAPTER M/F			
AD9MMNM	DB9 NULL MODEM ADAPTER M/M			

MODULAR ADAPTERS

PART#	DESCRIPTION				
AD15FRJ1112	DB15 FEMALE RJ1112 MODULAR ADAPTER				
AD15MRJ1112	DB15 MALE RJ1112 MODULAR ADAPTER				
AD25FRJ1112	DB25 FEMALE RJ1112 MODULAR ADAPTER				
AD25MRJ1112	DB25 MALE RJ1112 MODULAR ADAPTER				
AD9FRJ1112	DB9 FEMALE RJ1112 MODULAR ADAPTER				
AD9MRJ1112	DB9 MALE RJ1112 MODULAR ADAPTER				
AD15FRJ45	DB15 FEMALE RJ45 MODULAR ADAPTER				
AD15MRJ45	DB15 MALE RJ45 MODULAR ADAPTER				
AD25FRJ45	DB25 FEMALE RJ45 MODULAR ADAPTOR				
AD25MRJ45	DB25 MALE RJ45 MODULAR ADAPTER				
AD9FRJ45	DB9 FEMALE RJ45 MODULAR ADAPTER				
AD9MRJ45	DB9 MALE RJ45 MODULAR ADAPTER				

VGA ADAPTERS

PART#	DESCRIPTION					
AHD15F15M	HD15 FEMALE TO DB15 MALE ADAPTER	Front	Back	Front	Back	Front
AHD15M15F	HD15 MALE TO DB15 FEMALE ADAPTER					
AHD15F9M	HD15 FEMALE TO DB9 MALE ADAPTER					
AHD15M9F	HD15 MALE TO DB9 FEMALE ADAPTER					
AHD15MFF	HD 15 Y CABLE MALE TO 2 FEMALES	Front	Back	Front	Back	Back

FILE TRANSFER CABLE

PART#:CCFTV-C 6Ft USB2.0 File Transfer Cable PC/PC

- * Simple USB2.0 Plug-n-Play functionality.
- * Bi-directional data transfer between two computers or different operating systems: - Notebooks and desktops. - Windows 2000, XP and Vista operating system compatible (For PC-to-PC)
- Windows and MAC operating system compatible (For PC-to-MAC)
- * Fast transfer rate of up to 16MB/second.
- * Two easy steps of operation - simply connect and transfer.
- * No file size or media capacity limitations such as those found with external media cards.
- * EasySuite or EasyMacCopy software program loads automatically.



USB ADAPTERS

PART#	DESCRIPTION
ADUSBAFAF	USB A F/F Gender Changer
ADUSBAMAF	USB A M/F Gender Changer
ADUSBAMAM	USB A M/M Gender Changer
ADUSBAFBF	USB A-F/ B-F Gender Changer
ADUSBAFBM	USB A-F/B-M Gender Changer
ADUSBAMBF	USB A-M/B-F Gender Changer
ADUSBAMBM	USB A-M/B-M Gender Changer
ADUSBBFBF	USB B F/F Gender Changer
ADUSBBMBF	USB B-M/B-F Gender Changer
ADUSBBMBM	USB B M/M Gender Changer
AUSB36M	USB Parallel Printer Adapter(Cent.36-M)
AUSB2PS2	USB 1.1 to 2x PS/2 Female Adapter
AUSB9M	USB1.1 to Serial Adapter DB9-Male/Hex Nut
AUSB25F	USB Parallel Printer Adapter (DB25-F)
AUSBE	USB2.0 to 10/100 Ethernet Adapter
AUSBGE	USB 3.0 to Gigabit Ethernet Adapter



VGA SPLITTERS

PART#:VGASP2 DESC:2Way VGA Splitter 450MHz Max 2048x1536 Resolution

Specification: This product is a signal booster and duplicator which can take video input from a single source, broadcast and display it on two VGA monitors in a distance up to 180 feet (60M). It features a signal bandwidth of 450MHz. High resolution setting of 2048 x 1536 in 24 or 32-bit true color mode will also secure the high quality of the video graphic images to be displaying. It's ideal for an environment of education, meeting and commercial demonstration. * Supports 450 MHz video bandwidth* Supports resolution up to 2048 x 1536 at 60Hz* Supports SVGA, VGA, XGA, and Multi-sync compliant monitors * Amplified video signals for distance up to 180Ft (60M)*Can be daisy-chained with multiple units generating more outputs * All metal casing *Input: DB15HD female connector *Output: 2 xDB15 female connector * Power supply included (DC6V)



PART#:VGASP4 DESC:4Way VGA Splitter 450MHz Max 2048x1536 Resolution

Specification: This product is a signal booster and duplicator which can take video input from a single source, broadcast and display it on four VGA monitors in a distance up to 180 feet (60M). It features a signal bandwidth of 450MHz. High resolution setting of 2048 x 1536 in 24 or 32-bit true color mode will also secure the high quality of the video graphic images to be displaying. It's ideal for an environment of education, meeting and commercial demonstration. * Supports 450 MHz video bandwidth * Supports resolution up to 2048 x 1536 at 60Hz * Supports SVGA, VGA, XGA, and Multi-sync compliant monitors * Amplified video signals for distance up to 180Ft (60M)* Can be daisy-chained with multiple units generating more outputs* All metal casing* Input: DB15HD female connector *Output: 4 x DB15 female connector* Power supply included (DC6V)



PART#:VGASP8 DESC:8Way VGA Splitter 450MHz Max 2048x1536 Resolution

Specification: This product is a signal booster and duplicator which can take video input from a single source, broadcast and display it on eight monitors in a distance up to 180 feet (60M). It features a signal bandwidth of 450MHz. High resolution setting of 2048 x 1536 in 24 or 32-bit true color mode will also secure the high quality of the video graphic images to be displaying. It's ideal for an environment of education, meeting and commercial demonstration.* Supports 450 MHz video bandwidth *Supports resolution up to 2048 x 1536 at 60Hz * Supports SVGA, VGA, XGA, and Multi-sync compliant monitors* Amplified video signals for distance up to 180Ft (60M) * All metal casing * Can be daisy-chained with multiple units generating more outputs * Input: DB15HD female connector * Output: 8 x DB15 female connector * Power supply included (DC6V)



MANUAL SWITCH BOXES

PART# CPSBVGAUSB

DESC: VGA 2way Manual Switch w/USB2.0 Port
Manual switch to share VGA monitor with 2 PC or Mac. Switch monitor with just a push of button. Not only monitor, this switch has 2 USB ports, you can share USB printer as well.
* USB1.1 and 2.0 compatible
* PC or Mac compatible
* USB port: A-female x 1 and B-female x 2
* VGA port: DB15HD female x 3
* VGA max resolution: 2048 x 1536 / 72Hz
* Dimension: 115 (W) x 39 (H) x 108 (D) mm



PART# CPSBHD15AB

DESC:MANUAL SWITCH BOX
2-WAY HD15 VGA
PART# CPSBHD15ABCD
DESC:MANUAL SWITCH BOX
4-WAY HD15 VGA



PART# CPSBSVGA2

DESC:MANUAL SWITCH BOX
2-WAY SUPER VGA
PART# CPSBSVGA4
DESC:MANUAL SWITCH BOX
4-WAY SUPER VGA



PART# CPSB25AB

DESC:DB25 2Way Manual Parallel Port Switch Box



PART# CPSB9AB

DESC:DB9 2Way Manual Parallel Port Switch Box



PART# CPSBRJ45AB

DESC:RJ45 2-Way Manual Switch Box



PART# CPSBRJ1112AB

DESC:RJ11/12 2-Way Manual Switch Box




PART# CPSB25ABCD

DESC:DB25 2Way Manual Parallel Port Switch Box



PART# CPSB25ABCD

DESC:DB25 4Way Manual Parallel Port Switch Box



PART# CPSBRJ45ABCD

DESC:RJ45 4-Way Manual Switch Box



PART# CPSBRJ1112ABCD

DESC:RJ11/12 4-Way Manual Switch Box



PART# CPSBBNCAB

DESC:BNC 2-Way Manual Switch Box



PART# CPSBUSB1A2B

DESC:2-Way USB Manual Switch Box Ax1/Bx2



PART# CPSBUSB1B2A

DESC:2 Port Manual USB Data Switch Box, 1B to 2A Type



PART# CPSBKVM2

DESC:2 Port KVM PS/2 Auto Switch Box (Monitor, Keyboard and Mouse) Hot-Key Switch



PART# CPSBBNCABCD

DESC:BNC 4-Way Manual Switch Box



PART# CPSBUSB1A4B

DESC:4-Way USB Manual Switch Box Ax1/Bx4



PART# CPSBUSB1B4A

DESC:4 Port Manual USB Data Switch Box, 1B to 4A Type



PART# CPSBKVM4

DESC:4 Port KVM PS/2 Auto Switch Box (Monitor, Keyboard and Mouse) Hot-Key Switch



PART# CPSBUSB1A2BV

DESC: Very handy manual switch to share USB printer or any USB peripheral with 2 PC or Mac. Switch the printer with just a push of button. You can also use this switch to have 2 printers (such as laser and ink jet printer) on 1 PC or Mac.

- * Manual 2 way push button switch
- * PC or Mac compatible
- * USB1.1 and 2.0 compatible
- * Connector: 2 "B" female and 1 "A" male
- * vertical stand



PART# CPSBUSB1A4BV

DESC: Very handy manual switch to share USB printer or any USB peripheral with 4 PC or Mac. Switch the printer with just a push of button. You can also use this switch to have 2 printers (such as laser and ink jet printer) on 1 PC or Mac.

- * Manual 4 way push button switch
- * PC or Mac compatible
- * USB1.1 and 2.0 compatible
- * Connector: 2 "B" female and 1 "A" male
- * vertical stand